

**BIKE****KTM 390 DUKE**

19->21 32KW

Details

Manufacturer & Model	390 Duke / 19->21 32kW
KW	32
CV PS	44
Bhp	43
Year	2019
Fuel	Petrol nat. asp
Regulations	EURO4, EURO5
New Genius Protocol	FLASH_0880(*)
New Trasdata Plugin	1716
New Trasdata BENCH	✓
Vehicle	Bike
ECU model	BOSCH MG1CA094

A New Genius protocol marked with (*) means that the ECU installed on this vehicle may not support the READ function.

DIMSPORT SOLUTIONS FOR THIS VEHICLE



NEW GENIUS

The stand alone device for the serial communication with the Engine Control Unit (ECU), through the vehicle OBDII socket or via specific diagnostic connectors.



NEW TRASDATA

A unique tool supporting all microprocessors utilized by any kind of vehicles , for reading and programming operations in BDM, BOOT, JTAG, NBD and BAM mode.



RAPID BIKE EASY

Equipped with a microprocessor managing directly the lambda sensor signal to optimize the air/fuel ratio, improve the engine efficiency and eliminate the torque and power gaps




RAPID BIKE EVO

It puts in your hands total control of fueling operations as it is directly connected to all stock injectors (up to eight) while managing at the same time the corresponding air/fuel ratio. In this way the carburetion values can be modified throughout the entire engine power delivery curve.



RAPID BIKE RACING

It represents the highest level of technology available for reaching top performance, offering the widest range of solutions for demanding professional track riders and street users.



YOUTUNE

A compact and innovative calibration device allowing to customize your bike's performance in real time, whether you are on the street or on a race track.



BLUE BIKE

The valuable contribution of Rapid Bike technology enhancing bike's performance comes to life with Bluebike adapter.



MY TUNING BIKE

Performing a real-time injection auto-remapping